

BAUSCH + LOMB

27 GAUGE

Portfolio



Less Invasive. More Precise.*

You can enjoy both precision and efficiency in 27ga with the dual-port difference from Bi-Blade®. This unique design and double-edge blade effectively doubles the cut rate of a single-edge cutter. With the Bi-Blade® vitrectomy cutter, you can combine all the benefits of 27ga instrumentation with the exceptional efficiency of a 100% duty cycle and 15,000 CPM effective cut rate.

- Less invasive: helps reduce the surgical impact on patients**
- More precise: allows access to small spaces in close proximity to the retina
- Greater efficiency: dual-port increases flow rate 2.3x over single-port cutters in 7500 CPM mode on Stellaris Elite®

Experience the dual-port difference for yourself. Schedule a demo now to get our entire 27ga portfolio in your hands because the proof is in the performance.

* Compared to larger gauge platforms.

** Based on studies comparing the outcomes of procedures using 27 gauge instruments to those using other instruments.



Engineered for
Stellaris Elite
Vision Enhancement System

Stellaris Elite® Surgical Packs with Bi-Blade®

☐=6 STERILE ⓘ

Posterior Midfield

27G SE5427MVB

Posterior Widefield

27G SE5427WVB

Combined Midfield

27G SE5527MVB



Combined Widefield

27G SE5527WVB

Bi-Blade® Vitrectomy Cutter

27G SE5627B

☐=6 STERILE ⓘ

◀bi▶ **Blade®**



BAUSCH + LOMB



Diffuse Widefield Endoilluminator

27G BL5827D

☐=6 STERILE ⓘ



Midfield Endoilluminator

27G BL5827M

☐=6 STERILE ⓘ



Focal Endoilluminator

27G 56.02.27P

- For use with Stellaris® Illumination Adapter (57.40)

☐=12 STERILE ⓘ



Oshima Vivid Chandelier

27G 56.54.27P ☐=12 STERILE ⓘ

- For use with Stellaris® Illumination Adapter (57.40)



27G BL5237S ☐=6 STERILE ⓘ

- Direct connect to Stellaris Elite® and Stellaris®PC



Hubbard Visco Dissector

27G 12.06.27

=6 STERILE 



Soft Tip Cannula

27G 30.08.27

=6 STERILE 



Tano Diamond Dusted Membrane Scraper

=5 STERILE 

27G 20.04.27



Straight Laser Probe

27G 55.21.27

=12 **STERILE** 



TruCurve™ Curved Laser Probe, 37°

27G 55.23.27

=12 **STERILE** 



Directional™ Laser Probe

27G 55.26.27

=12 **STERILE** 



Bipolar Cautery

27G 53.00.27

=6 **STERILE** 



Laser Source to which Synergetics® Laser Probes will Connect:

Iridex GL / GLx / TX
Iridex IQ 532 / Iridex IQ 577
Alcon Eyelite
Alcon Purepoint

Alcon Constellation
Bausch + Lomb Stellaris®PC
Bausch + Lomb Stellaris Elite®
Ellex Solitaire

☐=5 STERILE Ⓢ



Pinnacle 360™ is our line of fully disposable, hand-held retinal surgical instruments. As its name suggests, the Pinnacle 360™ product line provides high quality and value. With Pinnacle 360™, surgeons can expect consistent performance in a variety of applications.

Tano Asymmetrical Micro Forceps

27G 39.03.27PIN



Eckardt Forceps

27G 39.08.27PIN



Microserrated™ Tewari Omnicep Forceps

27G 39.15.27PIN



BAUSCH + LOMB

IMPORTANT SAFETY INFORMATION

Indications

The Bi-Blade® Vitrectomy Cutter is a pneumatically actuated device that supports aspiration and guillotine-style cutting functions to remove vitreous and/or other tissues from the eye during surgery. The Bi-Blade® Vitrectomy Cutter and the Bi-Blade® Vitrectomy Cutter Packs are intended for use in conjunction with the Stellaris Elite® or Stellaris PC® Vision Enhancement Systems, as specified.

Warnings

- Failure to follow priming instructions for the vitrectomy cutter and aspiration tubing may result in poor aspiration response and reduction in vitrectomy cutter's effectiveness.
- Do not re-sterilize and do not re-use.
- Only use the Bi-Blade® Vitrectomy Cutter and Bi-Blade® Vitrectomy Cutter Packs with the Stellaris Elite® or Stellaris PC® Vision Enhancement Systems, as specified.

This is not all you need to know. See the Bi-Blade® instructions for use for detailed directions, proper use, and full risk and safety information.

CAUTION: Federal (U.S.) Law restricts these devices to sale, by or on the order of a physician.



Stellaris Elite, Pinnacle 360, Directional, Millenium, TruCurve, Microserrated and Stellaris PC are trademarks of Bausch & Lomb Incorporated or its affiliates. Bi-Blade is a registered trademark of Medical Instrument Development Laboratories, Inc. used under license. All other ®/TM are trademarks of Bausch & Lomb Incorporated or its affiliates. ©2021 Bausch & Lomb Incorporated or its affiliates. SRG.0143.USA.21